



instant.strong.secure.

www.instacm.com | 1.866.647.4353



Nisera International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

DISCLAIMER: - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a slight variance between production made the measurements off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#6061 #6062 INSTA Rhino Door



- 16 gauge construction
- Door size: 3'4"W x 6'4"H / 101.6cm x 193.0cm
- Insulated and fire-rated
- Baked enamel finish
- Designed for bolt-on or weld-in applications
- Available in left (#6061) and right (#6062) hand swings



#6044 INSTA Rhino Door Design Handle



- Zinc-dichromate plated steel lock chassis resists corrosion
- Meet and exceeds ANSI - A156.2, Series 4000, Grade 1 standards
- Meets ADA and ANSI A117.1 accessibility codes
- Provides vandal resistance with clutched lever system on locking functions
- Anti-sag mechanism with independent lever return springs
- Required hardware and two keys included
- Reversible (can be used with both left and right-hand swing doors)

#6010 INSTA Euro 3' x 4' Window

- Unique 2-way opening (tilt open or turn open)
- 9 gauge steel frame
- Frame size: 4'W x 3'H / 121.9cm x 91.4cm
- Dual-pane sealed unit (glass)
- 105 lbs / 47.7 kgs
- Locking bug screen
- Designed for bolt-on or weld-in applications
- Drip plate included (for above window)



#6011 INSTA Euro 3' x 4' Security Screen

- 55"W x 29"H / 139.7cm x 73.7cm
- 25 lbs / 11.4 kgs
- Steel construction
- Bolt-on application

#6012 INSTA Euro 3' x 4' Drip Plate Extension

- 55"W x 13"H / 139.7cm x 33.0cm
- Steel construction
- Color matches that of window



Nipma International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

DISCLAIMER: - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#6066 INSTA 3'x3' Window

- Heavy-duty construction
- Outer frame constructed of 14 gauge steel
- Inner frame constructed of PVC
- Dual-pane sealed unit (glass)
- Exterior fold-down security screen
- Sliding bug screen on inside
- Designed for bolt-on or weld-in applications
- Drip plate included (for above window)



#6066 INSTA 3'x4' Window

- Heavy-duty construction
- Outer frame constructed of 9 gauge steel
- Inner frame constructed of PVC
- Dual-pane sealed unit (glass)
- Sliding bug screen on inside
- Designed for bolt-on or weld-in applications
- Drip plate included (for above window)
- Fixed-in-place security screen available (sold separately)



#6065 INSTA 3'x4' Window Security Screen

- Heavy-duty steel construction
- Designed for bolt-on or weld-in applications
- For use with the INSTA #6066 3' x 4' window

#6020 INSTA Divider Wall

- Install or remove in less than 20 minutes
- No welding required
- Corrugated steel for superior strength
- Securely divides spaces within a container
- Leaves no evidence of use following removal
- Vertical extensions available for high-cube container
- Widely-used in Self Storage industry



#6024 INSTA Divider Wall Extension Panels

- Corrugated steel for added strength and security
- No welding required
- For use with #6020 INSTA Divider Wall
- Intended for high-cube container applications



Nisma International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

DISCLAIMER: All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#4191 New! INSTA Container Solar Lighting System

- Bright LED technology – 15,000 Lumens
- Rated for 3 days of operation without sunlight
- Daylight and occupancy sensors
- Working life rating: 50,000 hours
- Working temperature range: -40° to 45°C / -40° to 115°F
- Remote control included
- Warranty: 12 months



#4190 New! INSTA Corner Casting Adapter

- Aluminum construction
- Mounting hardware included
- Quick connect and disconnect NO WELD adapter


#6210 New! INSTA Corner Casting

- High quality cast steel construction (OEM)
- Each set includes 8 pcs (two top left, two top right, two bottom left, two bottom right)
- Can be purchased separately



#6070 Insta Vent Small

- 8 1/16"H x 2 5/8" x 1"D / 205mm x 66mm x 25mm
- Plastic construction
- Grey in color
- Easy bolt-on application
- Provided holes match existing holes in most shipping containers
- Gasket seal included



#6067 INSTA Vent

- Designed for bolt-on or weld-in applications
- Prevents moisture build-up and hazardous fume accumulation
- Integrated bug screen
- Superior strength to resist damage due to impact
- Can be installed on side, end or door of container
- Easy to install in under 30 minutes
- Dark grey in color
- Also available with zinc-plate for additional corrosion resistance



Nisma International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

WARNING - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#8080 INSTA Sobo Block Lock

- Solid brass body
- Triple chrome-plated
- Brass & stainless steel internal mechanism
- Freely-rotating shackle resists cutting
- Corrosion resistant
- Four keys included
- Key retainer ensures it's never left unlocked
- Available in keyed-alike and keyed-different options



#8010 New! INSTA 4-Dial Combination Disk Padlock

- Stainless steel construction
- 3/8" / 9.5mm steel shackle
- Instructions included

#6850 INSTA Lock Pad Lock

- Corrosion resistant
- Cut, pull and pry resistant
- 3/8" / 9.5mm diameter hardened boron alloy shackle
- Re-keyable
- Available in keyed-alike and keyed-different options



#6272 #6273 INSTA Puck Lock

- Superior cut & pry resistance
- 3/8" / 9.5mm diameter hardened boron alloy shackle
- Lock shackle completely protected (shackle is hidden and inaccessible while in locked mode)
- Re-keyable
- Available in keyed-alike and keyed-different options

#3240 INSTA Bolt-On Lock Box

- Heavy-duty construction for enhanced security
- Special wave design (refers to shape of cut to bottom of plate that allows easier access to lock)
- Designed for bolt-on or weld-in applications
- Perfect fit with our #6850 INSTA Pad Lock Pro Series or our #8080 INSTA Sobo Block Lock
- Mounting hardware and drill template included
- Available in left-hand model #3241



#3233 INSTA Bolt-On Puck Lock Box

- Heavy-duty construction for enhanced security
- Designed for bolt-on or weld-in applications
- Perfect fit with our #6272/#6273 INSTA Puck Lock
- Mounting hardware and drill template included



Nisma International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

WARNING: - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#6200 INSTA Container Twist Lock

- High quality cast steel construction (OEM)
- Safe working load tension 250 kilonewtons or 56,000 lbs (25 tons)
- Break strength: 50 tons
- Heat-treated galvanized finish
- Double-ended design to connect two containers



#6202 INSTA Container Twist Lock - Deck Mount

- High quality cast steel construction (OEM)
- Safe working load tension 250 kilonewtons or 56,000 lbs (25 tons)
- Break strength: 50 tons
- Heat-treated galvanized finish
- Weld-in application only

#4182 #4183 INSTA Container Door Gasket Seal

- Made of EPDM or Ethylene Propylene Diene Monomer (OEM)
- Sold as a set (left and right door seal included)
- INSTA #4182 for standard containers
- INSTA #4183 for high-cube containers



#6208 INSTA Container Bridge Fitting

- Capacity Rating: 10 tons / 10,000 kgs
- Used to securely connect two containers side by side or end to end
- Compatible with all ISO type containers
- Drop-forged steel hooks
- Heat-treated galvanized finish

#6074 INSTA Steel Slat Roll-Up Door

- Provides convenient and easy access to inside of containers
- Corrugated roll shutter provides strength and wind resistance
- Includes aluminum rails and required hardware including two latch locks (slider bars) – one each side (pad/disc locks not included)
- Available in white steel
- Assembly required



#6220 ~~New!~~ INSTA Container Guard Moisture Trap

- Materials: Calcium chloride and plastic
- Life span: 12-14 weeks (humidity level dependant)
- Working temperature range: -15° to 70°C / 5° to 158°F



Nisma International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

WARNING - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#4187 INSTA 8" Container Swivel Caster Wheel

- Heavy-duty 8" (200mm) diameter x 3" (76mm) wide wheel
- Capacity rating per caster: 3 tons / 3,000 kgs / 6,700 lbs
- Easy to install using dovetail twist-lock mechanism
- Brake included
- Enables container portability



#4188 INSTA 6" Container Swivel Caster Wheel

- 6" (150mm) diameter x 2.75" (70mm) wide wheel
- Capacity rating per caster: 1 ton / 1,000 kgs / 2,240 lbs
- No brake included

#4340 InstaLager Drafting Planning Table Set

- Practical, durable and versatile workstation
- Easy assembly
- Hardware included, wood component not included



#3213 INSTA Bolt-On D-Rings

- Allows convenient location of D-rings where needed
- No welding required
- Hardware included

#6057 (Left) #6058 (Right) INSTA Container Door Cam Lock

- OEM part
- Galvanized and heat-treated
- Sold individually



#1000R Rhino 3-Shelf Bracket

his product cannot be shipped into the USA. Available in Canada only.

- 18.5" (470mm) deep, heavy-duty 3-shelf bracket
- Rated for 2,200 lbs (1 ton) per set of 2 shelves
- Hooks to container D-rings or mount to wall
- Wall-mount brackets/hardware included
- Keeps floor space free for additional storage



Nisma International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

DISCLAIMER: - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.



instant.strong.secure.

www.instacm.com | 1.866.647.4353

#3210 INSTA 3-Shelf Bracket

Our most popular design since 2005!

This product cannot be shipped into the USA. Available in Canada only.

- 18.5" (470mm) deep, heavy-duty 3-shelf bracket
- Rated for 2,200 lbs (1 ton) per set of 2 shelves
- Easily hooks to container D-rings and can easily be moved and re-installed
- Keeps floor space free for additional storage and easing cleaning
- Lightweight yet extremely strong, Engineered and tested



#3212 INSTA 3-Shelf Bracket

This product cannot be shipped into the USA. Available in Canada only.

- 22.5" (570mm) deep, heavy-duty 3-shelf bracket
- Rated for 2,200 lbs (1 ton) per set of 2 shelves
- Easily hooks to container D-rings and can easily be moved and re-installed
- Keeps floor space free for additional storage and easing cleaning
- Lightweight yet extremely strong, Engineered and tested



#4000C INSTA Pipe Rack

This product cannot be shipped into the USA. Available in Canada only.

- Perfect for horizontal storage applications both inside and outside the container
- Easily hooks to container D-rings and can easily be moved and re-installed
- Keeps floor space free for additional storage and easing cleaning
- Rated for 1,000 lbs (450 kgs) per set of 2 shelves
- Strong and secure, engineered and tested



#4210 INSTA 4-Shelf Bracket

This product cannot be shipped into the USA. Available in Canada only.

- Same design as our popular #3210 INSTA 3-shelf brackets, except with 4 shelves
- 18.5" (470mm) deep, heavy-duty 4-shelf bracket
- Rated for 2,200 lbs (1 ton) per set of 2 shelves
- Easily hooks to container D-rings and can easily be moved and re-installed
- Ideal for use in high-cube containers as well as standard containers



#4212R Rhino INSTA 4-Shelf Bracket

This product cannot be shipped into the USA. Available in Canada only.

- 22.5" (570mm) deep, heavy-duty 4-shelf bracket
- Rated for 2,400 lbs (1.07 tons) per set of 2 shelves
- For use in high-cube containers as well as standard containers



Nicea International Holdings Ltd. dba
INSTA Container Modification is a proud
member of the National Portable Storage
Association (NPSA).

WARNING - All products that require installation or fabrication should never be done until you have the product in hand to take exact measurements. While every attempt is made to make sure product specifications are accurate, there is the possibility the products have been updated or a small variance between production made the measurement off. Installation of products may require some fabrication experience, and in no way does warranty cover installation mistakes.